

ABOUT US



SHANDONG JUNWEI INDUSTRIAL TECHNOLOGY CO.,LTD is one of China leading manufacturer of circular saw blade since 2000 year. Main products include Cold Saw Blade for ferrous metal cut, PCD Saw Blade for non-ferrous metal cut, PCD Saw Blade for wood cut, Carbide (TCT) Saw Blade for aluminum and wood cut etc. Saw body we use Japan SKS51 Steel and 75Cr1 Steel, also processed by ourselves to ensure quality.

JUNWEI products have been exported to European countries, North America, Japan, Korea, Vietnam, India, Southeast Asia, Middle east, Africa, South America, and over 50 countries.

We believe that cooperation is long-term career rather than one or two times job ; We believe that there is nothing best in the world, through hard-working, technology and service update, amazing product can be created for long-term cooperation brings Win-Win situation between human and nature, producers and middleman, middleman and end-users. Sustainable development and long-term cooperation. JUNWEI says it all.



PANEL SIZING SAW BLADE (PCD and Carbide Type)



OD (mm)	Kerf (mm)	Body Thickness (mm)	Bore (mm)	Teeth	Teeth Shape
350	4.4	3.2	30/60/75	72	TP
350	4.4	3.2	30/60/75	84	TP
380	4.4	3.2	30/60/75	72	TP
380	4.4	3.2	30/60/75	84	TP
400	4.4	3.2	60	84	TP
400	4.4	3.2	75	84	TP
MORE SIZES CAN BE CUSTOMIZED					

TABLE SAW BLADE (PCD and Carbide Type)



OD (mm)	Kerf (mm)	Body Thickness (mm)	Bore (mm)	Teeth	Teeth Shape
250	3.2	2.2	25.4/30	60	ZY
250	3.2	2.2	25.4/30	80	ZY
300	3.2	2.2	25.4/30	60	ZY
300	3.2	2.2	25.4/30	72	TP
300	3.2	2.2	25.4/30	80	TP
300	3.2	2.2	25.4/30	96	TP
350	3.5	2.5	25.4/30	60	TP
350	3.5	2.5	25.4/30	72	TP
350	3.5	2.5	25.4/30	84	TP
350	3.5	2.5	25.4/30	96	TP
MORE SIZES CAN BE CUSTOMIZED					

TRIMMING SAW BLADE (PCD and Carbide TYPE)



OD (mm)	Kerf (mm)	Body Thickness (mm)	Bore (mm)	Teeth	Teeth Shape
300	3.2	2.2	30	48	ZY
300	3.2	2.2	25.4	48	ZY
305	4	3	25.4	48	ZY
305	4	3	30	48	ZY
305	4	3	50.8	60	ZY
350	4	3	50.8	70	ZY
350	5	3.6	50.8	70	ZY
400	5	3.6	50.8	70	ZY
450	5	3.6	50.8	70	ZY
MORE SIZES CAN BE CUSTOMIZED					

CLEAN CUT FOR SOLID WOOD (PCD and Carbide TYPE)



OD (mm)	Kerf (mm)	Body Thickness (mm)	Bore (mm)	Teeth	Teeth Shape
255	3.0	2.2	25.4/30	100	BA5
255	3.0	2.2	25.4/30	120	BA5
300	3.0	2.2	25.4/30	100	BA5
300	3.0	2.2	25.4/30	120	BA5
350	3.2	2.2	25.4/30	100	BA5
350	3.2	2.2	25.4/30	120	BA5
400	3.2	2.2	25.4/30	100	BA5
400	3.2	2.6	25.4/30	120	BA5
400	3.4	2.6	25.4/30	120	BA5
MORE SIZES CAN BE CUSTOMIZED					

CONICAL SCORING BLADES (PCD and Carbide TYPE)



OD (mm)	Kerf (mm)	Body Thickness (mm)	Bore (mm)	Teeth
160	3.0-4.2	2.2	25.4/30	40
160	3.3-4.5	2.5	25.4/30	40
160	4.3-5.5	3	55/30	40
180	3.0-4.2	2.2	25.4/30	36
180	3.3-4.5	2.5	25.4/30	36
180	4.3-5.5	3	25.4/30	36
180	4.6-5.8	3.6	45/30	40
200	4.3-5.5	3	30/45	36
200	4.3-5.5	3	30/45	40
200	4.6-5.8	3.6	30/45	40
MORE SIZES CAN BE CUSTOMIZED				

SCORING BLADES (PCD and Carbide TYPE)



BOTH PCD TIPPED AND CARBIDE TYPE CAN BE PROVIDED.

SAW BODY CAN USE JAPAN SKS51 AND 75CR1 STEEL.

CARBIDE TIPS CAN USE IMPORTED EUROPEAN BRAND TIPS, DOMESTIC BRAND TIPS.

OD (mm)	Kerf (mm)	Body Thickness (mm)	Bore (mm)	Teeth
100	2.8-3.6	2	20/22	12+12
120	2.8-3.6	2	20/22	12+12
125	2.8-3.6	2	20/22	12+12
100	3.0/4.0	2.2	20/22	24
120	3.0/4.0	2.2	20/22	24

SAW BLADE FOR PLYWOOD TRIMMING (Carbide TYPE)

OD (mm)	Kerf (mm)	Body Thickness (mm)	Bore (mm)	Teeth	Teeth Shape
254	3.2	2.2	25.4/30	100	3Y1Z
254	3.2	2.2	25.4/30	120	3Y1Z
300	3.2	2.2	25.4/30	100	3Y1Z
300	3.2	2.2	160	100	3Y1Z
300	3.2	2.2	25.4/30	120	3Y1Z
300	3.2	2.2	160	120	3Y1Z
MORE SIZES CAN BE CUSTOMIZED					

SAW BLADE FOR ACRYLIC, ORGANIC GLASS AND PLASTIC

(Carbide TYPE)



OD (mm)	Kerf (mm)	Body Thickness	Bore (mm)	Teeth	Teeth Shape
---------	-----------	----------------	-----------	-------	-------------

SHANDONG JUNWEI INDUSTRIAL TECHNOLOGY CO.,LTD

		(mm)			
230	2.0	1.5	25.4/30	80	BA5
230	2.0	1.5	25.4/30	100	BA5
255	2.0	1.5	25.4/30	100	BA5
255	2.0	1.5	25.4/30	120	BA5
255	2.2	1.7	25.4/30	100	BA5
255	2.2	1.7	25.4/30	120	BA5
305	2.2	1.7	25.4/30	100	BA5
305	2.2	1.7	25.4/30	120	BA5
305	2.6	2.0	25.4/30	100	BA5
305	2.6	2.0	25.4/30	120	BA5
MORE SIZES CAN BE CUSTOMIZED					